



**Australian Government**  
**Department of Health**  
Therapeutic Goods Administration

## Public Summary

|                                |                                                           |                                    |
|--------------------------------|-----------------------------------------------------------|------------------------------------|
| <b>Summary for ARTG Entry:</b> | 127005                                                    | Active Elements Active 4.1 Tablets |
| <b>ARTG entry for</b>          | Medicine Listed                                           |                                    |
| <b>Sponsor</b>                 | Active Elements Pty Ltd                                   |                                    |
| <b>Postal Address</b>          | 50 Fairbairn Avenue, MOUNT MARTHA, VIC, 3934<br>Australia |                                    |
| <b>ARTG Start Date</b>         | 18/04/2006                                                |                                    |
| <b>Product Category</b>        | Medicine                                                  |                                    |
| <b>Status</b>                  | Active                                                    |                                    |
| <b>Approval Area</b>           | Listed Medicines                                          |                                    |

### Conditions

Colouring agents used in listed medicine for ingestion, other than those listed for export only under section 25 of the Act, shall be only those included in the list of 'Colourings permitted in medicines for oral use'.

The sponsor shall keep records relating to this listed medicine as are necessary to: (a) Expedite recall if necessary of any batch of the listed medicine, (b) Identify the manufacturer(s) of each batch of the listed medicine. Where any part of or step in manufacture in Australia of the listed medicine is sub-contracted to a third party who is not the sponsor, copies of relevant Good Manufacturing Practice agreements relation to such manufacture shall be kept.

The sponsor shall retain records of the distribution of the listed medicine for a period of five years and shall provide the records or copies of the records to the Complementary Medicines Branch, Therapeutic Goods Administration, upon request.

Where a listed medicine is distributed overseas as well as in Australia, product recall or any other regulatory action taken in relation to the medicine outside Australia which has or may have relevance to the quality, safety or efficacy of the goods distributed in Australia, must be notified to the National Manager Therapeutic Goods Administration, immediately the action or information is known to the sponsor.

### Products

#### 1 . Active Elements Active 4.1 Tablets

|                     |                         |                       |           |
|---------------------|-------------------------|-----------------------|-----------|
| <b>Product Type</b> | Single Medicine Product | <b>Effective Date</b> | 4/03/2021 |
|---------------------|-------------------------|-----------------------|-----------|

### Permitted Indications

Traditionally used in Homoeopathic medicine to decrease/reduce ear irritation/inflammation  
Traditionally used in Homoeopathic medicine to relieve eye discomfort  
Traditionally used in Homoeopathic medicine to relieve eye redness  
Traditionally used in Homoeopathic medicine to relieve eye soreness  
Maintain/support general health and wellbeing  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of mild mouth ulcers  
Traditionally used in Homoeopathic medicine to anti-inflammatory/relieve inflammation  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild joint aches and pains  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve colic (wind/gas pain)  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of indigestion/dyspepsia  
Traditionally used in Homoeopathic medicine to helps decrease/reduce/relieve mild muscle spasms/twitches  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild nerve pain/neuralgia  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve menstrual spasms/cramps  
Traditionally used in Homoeopathic medicine to helps temporarily decrease/reduce/relieve symptoms of mild vaginitis  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve bronchial mucous congestion  
Traditionally used in Homoeopathic medicine to loosen respiratory tract mucous  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild throat inflammation  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of mild throat infection  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve throat mucous membrane irritation/inflammation  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of mild tonsillitis  
Traditionally used in Homoeopathic medicine to relieve symptoms of acne  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of mild eczema/dermatitis  
Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of facial cold sores

### Indication Requirements

Label statement: If symptoms persist, talk to your health professional.

Product presentation must only refer to mild joint symptoms.



**Australian Government**  
**Department of Health**  
**Therapeutic Goods Administration**

Product presentation must not imply or refer to gastro oesophageal reflux disease.

Product presentation must only refer to mild vaginitis.

Product presentation must not imply or refer to serious infections.

Product presentation must not imply or refer to serious forms of respiratory disorders/diseases, such as: asthma, pneumonia, COAD, COPD, influenza.

Product presentation must only refer to mild eczema.

Product presentation must not imply or refer to recurrent or persistent mouth lesions.

Product presentation must only refer to mild nerve pain/neuralgia.

Product presentation must not imply or refer to bone disease or disorders e.g. rheumatoid arthritis, juvenile arthritis, debilitating osteoarthritis, osteoporosis.

Label statement: Adults only, OR Not to be used in children under 2 years of age without medical advice (or words to that effect).

Product presentation must only refer to mild mouth ulcers.

Product presentation must only refer to mild tonsillitis.

#### Standard Indications

No Standard Indications included on Record

#### Specific Indications

No Specific Indications included on Record

#### Warnings

If symptoms persist consult your healthcare practitioner (or words to that effect).

Contains homoeopathic ingredients.

Adults only. OR Not to be used in children under two years of age without medical advice (or words to that effect).

Contains potassium. If you have kidney disease or are taking heart or blood pressure medicines, consult your doctor or pharmacist before use. Keep out of reach of children.

#### Additional Product information

#### Pack Size/Poison information

Pack Size

Poison Schedule

#### Components

##### 1 . Formulation 1

**Dosage Form** Tablet, uncoated

**Route of Administration** Oral

#### Visual Identification

#### Active Ingredients

|                                                             |                    |
|-------------------------------------------------------------|--------------------|
| <b>dibasic sodium phosphate</b>                             | <b>250 mg</b>      |
| Equivalent: sodium                                          | 80.97 mg           |
| <b>dibasic sodium phosphate dodecahydrate (Homeopathic)</b> | <b>5 microgram</b> |
| <b>ferrous phosphate octahydrate (Homeopathic)</b>          | <b>5 microgram</b> |
| Equivalent: iron                                            | 1.67 microgram     |
| <b>iron phosphate</b>                                       | <b>12 mg</b>       |
| Equivalent: iron                                            | 4 mg               |
| <b>magnesium phosphate pentahydrate</b>                     | <b>100 mg</b>      |
| Equivalent: magnesium                                       | 20.66 mg           |
| <b>magnesium phosphate pentahydrate (Homeopathic)</b>       | <b>5 microgram</b> |
| <b>potassium chloride (Homeopathic)</b>                     | <b>5 microgram</b> |
| Equivalent: potassium                                       | 1.67 microgram     |

#### Other Ingredients (Excipients)

Acacia  
calcium phosphate  
colloidal anhydrous silica  
inulin  
magnesium stearate

Public Summary



**Australian Government**

**Department of Health**  
Therapeutic Goods Administration

microcrystalline cellulose

potassium chloride

soy polysaccharide

tapioca starch

---

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary