



Australian Government
Department of Health
 Therapeutic Goods Administration

Public Summary

Summary for ARTG Entry:	230379	Eagle Beta A-C powder
ARTG entry for	Medicine Listed	
Sponsor	Integria Healthcare Australia Pty Ltd	
Postal Address	PO Box 4854, EIGHT MILE PLAINS, QLD, 4113 Australia	
ARTG Start Date	11/11/2014	
Product Category	Medicine	
Status	Active	
Approval Area	Listed Medicines	

Conditions

Colouring agents used in listed medicine for ingestion, other than those listed for export only under section 25 of the Act, shall be only those included in the list of 'Colourings permitted in medicines for oral use'.

The sponsor shall keep records relating to this listed medicine as are necessary to: (a) Expedite recall if necessary of any batch of the listed medicine, (b) Identify the manufacturer(s) of each batch of the listed medicine. Where any part of or step in manufacture in Australia of the listed medicine is sub-contracted to a third party who is not the sponsor, copies of relevant Good Manufacturing Practice agreements relation to such manufacture shall be kept.

The sponsor shall retain records of the distribution of the listed medicine for a period of five years and shall provide the records or copies of the records to the Complementary Medicines Branch, Therapeutic Goods Administration, upon request.

Where a listed medicine is distributed overseas as well as in Australia, product recall or any other regulatory action taken in relation to the medicine outside Australia which has or may have relevance to the quality, safety or efficacy of the goods distributed in Australia, must be notified to the National Manager Therapeutic Goods Administration, immediately the action or information is known to the sponsor.

Products

1 . Eagle Beta A-C powder

Product Type	Single Medicine Product	Effective Date	23/03/2021 1:59:54 PM
---------------------	-------------------------	-----------------------	-----------------------

Permitted Indications

- Antioxidant/Reduce free radicals formed in the body
- Helps reduce/decrease free radical damage to body cells
- Maintain/support collagen formation in children over 5 years of age
- Maintain/support collagen formation in adolescents
- Maintain/support collagen formation
- Maintain/support collagen formation in aging individuals
- Maintain/support collagen health
- Maintain/support collagen health in children over 5 years of age
- Maintain/support collagen health in adolescents
- Maintain/support collagen health in aging individuals
- Maintain/support general health and wellbeing in children over 5 years of age
- Maintain/support general health and wellbeing in aging individuals
- Maintain/support general health and wellbeing in adolescents
- Maintain/support general health and wellbeing
- Aid/assist/helps connective tissue production/formation in adolescents
- Aid/assist/helps connective tissue production/formation in aging individuals
- Aid/assist/helps connective tissue production/formation
- Aid/assist/helps connective tissue production/formation in children over 5 years of age
- Maintain/support body tissue repair/regeneration
- Maintain/support body tissue repair/regeneration in aging individuals
- Maintain/support body tissue repair/regeneration in children over 5 years of age
- Maintain/support body tissue repair/regeneration in adolescents
- Maintain/support artery health in children over 5 years of age
- Maintain/support artery health in adolescents
- Maintain/support artery health
- Maintain/support artery health in aging individuals
- Maintain/support blood capillary health in aging individuals

Public Summary



Australian Government
Department of Health
Therapeutic Goods Administration

Public Summary

- Maintain/support blood capillary health
- Maintain/support blood capillary health in adolescents
- Maintain/support blood capillary health in children over 5 years of age
- Maintain/support blood vessel health
- Maintain/support blood vessel health in children over 5 years of age
- Maintain/support blood vessel health in aging individuals
- Maintain/support blood vessel health in adolescents
- Maintain/support immune system health
- Maintain/support immune system health in aging individuals
- Maintain/support immune system health in adolescents
- Maintain/support immune system health in children over 5 years of age
- Maintain/support healthy immune system function
- Maintain/support healthy immune system function in adolescents
- Maintain/support healthy immune system function in children over 5 years of age
- Maintain/support healthy immune system function in aging individuals
- Maintain/support immune system to fight illness in aging individuals
- Maintain/support immune system to fight illness
- Maintain/support immune system to fight illness in children over 5 years of age
- Maintain/support immune system to fight illness in adolescents
- Maintain/support (state vitamin/mineral/nutrient) levels in the body in children over 5 years of age
- Maintain/support (state vitamin/mineral/nutrient) levels in the body in adolescents
- Maintain/support (state vitamin/mineral/nutrient) levels in the body in aging individuals
- Maintain/support (state vitamin/mineral/nutrient) levels in the body
- Maintain/support (state vitamin/mineral) within normal range in adolescents
- Maintain/support (state vitamin/mineral) within normal range in aging individuals
- Maintain/support (state vitamin/mineral) within normal range
- Maintain/support (state vitamin/mineral) within normal range in children over 5 years of age
- Support healthy stress response in the body in children over 5 years of age
- Support healthy stress response in the body in adolescents
- Support healthy stress response in the body
- Support healthy stress response in the body in aging individuals
- Decrease/reduce/relieve common cold duration
- Decrease/reduce/relieve common cold duration in adolescents
- Decrease/reduce/relieve common cold duration in children over 5 years of age
- Decrease/reduce/relieve common cold duration in aging individuals
- Decrease/reduce/relieve symptoms of common colds and flu
 - Linked indication - Decrease/reduce/relieve mild upper respiratory tract congestion
 - Linked indication - Decrease/reduce/relieve sneezing
 - Linked indication - Decrease/reduce/relieve cough
 - Linked indication - Relieve runny/dripping nose
 - Linked indication - Decrease/reduce/relieve throat mucous membrane irritation/inflammation
- Decrease/reduce/relieve symptoms of common colds and flu in adolescents
 - Linked indication - Decrease/reduce/relieve mild upper respiratory tract congestion
 - Linked indication - Decrease/reduce/relieve sneezing
 - Linked indication - Decrease/reduce/relieve cough
 - Linked indication - Relieve runny/dripping nose
 - Linked indication - Decrease/reduce/relieve throat mucous membrane irritation/inflammation
- Decrease/reduce/relieve symptoms of common colds and flu in aging individuals
 - Linked indication - Decrease/reduce/relieve mild upper respiratory tract congestion
 - Linked indication - Decrease/reduce/relieve sneezing
 - Linked indication - Decrease/reduce/relieve cough
 - Linked indication - Relieve runny/dripping nose
 - Linked indication - Decrease/reduce/relieve throat mucous membrane irritation/inflammation
- Decrease/reduce/relieve symptoms of common colds and flu in children over 5 years of age
 - Linked indication - Decrease/reduce/relieve mild upper respiratory tract congestion
 - Linked indication - Decrease/reduce/relieve sneezing
 - Linked indication - Decrease/reduce/relieve cough
 - Linked indication - Relieve runny/dripping nose
 - Linked indication - Decrease/reduce/relieve throat mucous membrane irritation/inflammation
- Decrease/reduce/relieve symptoms of common colds and flu in adolescents
 - Linked indication - Decrease/reduce/relieve mild upper respiratory tract congestion
 - Linked indication - Decrease/reduce/relieve sneezing



Australian Government
Department of Health
Therapeutic Goods Administration

Linked indication - Decrease/reduce/relieve cough
Linked indication - Relieve runny/dripping nose
Linked indication - Decrease/reduce/relieve throat mucous membrane irritation/inflammation
Decrease/reduce/relieve the severity of symptoms of mild upper respiratory tract infections in adolescents
Decrease/reduce/relieve the severity of symptoms of mild upper respiratory tract infections in aging individuals
Decrease/reduce/relieve the severity of symptoms of mild upper respiratory tract infections in children over 5 years of age
Decrease/reduce/relieve the severity of symptoms of mild upper respiratory tract infections
Decrease/reduce/relieve the severity of common cold symptoms in children over 5 years of age
Linked indication - Decrease/reduce/relieve mild upper respiratory tract congestion
Linked indication - Decrease/reduce/relieve sneezing
Linked indication - Decrease/reduce/relieve cough
Linked indication - Relieve runny/dripping nose
Linked indication - Decrease/reduce/relieve throat mucous membrane irritation/inflammation
Decrease/reduce/relieve the severity of common cold symptoms
Linked indication - Decrease/reduce/relieve mild upper respiratory tract congestion
Linked indication - Decrease/reduce/relieve sneezing
Linked indication - Decrease/reduce/relieve cough
Linked indication - Relieve runny/dripping nose
Linked indication - Decrease/reduce/relieve throat mucous membrane irritation/inflammation
Decrease/reduce/relieve the severity of common cold symptoms in adolescents
Linked indication - Decrease/reduce/relieve mild upper respiratory tract congestion
Linked indication - Decrease/reduce/relieve sneezing
Linked indication - Decrease/reduce/relieve cough
Linked indication - Relieve runny/dripping nose
Linked indication - Decrease/reduce/relieve throat mucous membrane irritation/inflammation
Decrease/reduce/relieve the severity of common cold symptoms in aging individuals
Linked indication - Decrease/reduce/relieve mild upper respiratory tract congestion
Linked indication - Decrease/reduce/relieve sneezing
Linked indication - Decrease/reduce/relieve cough
Linked indication - Relieve runny/dripping nose
Linked indication - Decrease/reduce/relieve throat mucous membrane irritation/inflammation
Relieve symptoms of mild upper respiratory tract infections in aging individuals
Relieve symptoms of mild upper respiratory tract infections in adolescents
Relieve symptoms of mild upper respiratory tract infections in children over 5 years of age
Relieve symptoms of mild upper respiratory tract infections
Maintain/support skin health in children over 5 years of age
Maintain/support skin health in adolescents
Maintain/support skin health in aging individuals
Maintain/support skin health
Maintain/support wound healing
Maintain/support wound healing in aging individuals
Maintain/support wound healing in adolescents
Maintain/support wound healing in children over 5 years of age
Maintain/support skin repair/healing/regeneration in children over 5 years of age
Maintain/support skin repair/healing/regeneration
Maintain/support skin repair/healing/regeneration in adolescents
Maintain/support skin repair/healing/regeneration in aging individuals

Indication Requirements

Label statement: If symptoms persist, talk to your health professional.

Product presentation must not imply or refer to serious forms of respiratory disorders/diseases, such as: asthma, pneumonia, COAD, COPD, influenza.

Standard Indications

No Standard Indications included on Record

Specific Indications

No Specific Indications included on Record

Warnings

The recommended daily dose of this medicine contains [state quantity and units] of sodium (or words to that effect).

Adults only. OR Not to be used in children under two years of age without medical advice (or words to that effect).

Vitamins can only be of assistance if the dietary vitamin intake is inadequate. OR Vitamin supplements should not replace a balanced diet.

For practitioner dispensing only.

If symptoms persist consult your healthcare practitioner (or words to that effect).



Australian Government
Department of Health
Therapeutic Goods Administration

If symptoms persist, seek the advice of a healthcare professional.

Additional Product information

Pack Size/Poison information

Pack Size

Poison Schedule

Components

1 . Formulation 1

Dosage Form Powder, oral

Route of Administration Oral

Visual Identification

Active Ingredients

ascorbic acid	364.08 mg/g
calcium ascorbate dihydrate	44.21 mg/g
Equivalent: ascorbic acid	36.32 mg/g
Citrus bioflavonoids extract	20 mg/g
d-alpha-tocopheryl acetate	14.7 mg/g
Dunaliella salina cell Extract soft concentrate standardised	35.2 mg/g
Equivalent: Dunaliella salina (Fresh)	22 mg/g
hesperidin	20 mg/g
rutoside	20 mg/g
sodium ascorbate	112.67 mg/g
Equivalent: ascorbic acid	99.6 mg/g
zinc amino acid chelate	5 mg/g
Equivalent: zinc	1 mg/g

Other Ingredients (Excipients)

Acacia
ascorbic acid
ascorbyl palmitate
calcium carbonate
citric acid
colloidal anhydrous silica
d-alpha-tocopherol
Flavour
maltodextrin
Olive Oil
potassium bicarbonate
purified water
silicon dioxide
sodium bicarbonate
Stevia rebaudiana
tartaric acid

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at <http://www.tga.gov.au/about/website-copyright.htm>.

Public Summary