

Australian Government

Department of Health

Therapeutic Goods Administration

Public Summary

Summary for ARTG Entry: 321874 Manuka Honey Cold & Flu

ARTG entry for Medicine Listed

Sponsor Brauer Natural Medicine Pty Ltd Postal Address PO Box 234, TANUNDA, SA, 5352

16/08/2019 ARTG Start Date **Product Category** Medicine Status Active

Listed Medicines Approval Area

Conditions

Colouring agents used in listed medicine for ingestion, other than those listed for export only under section 25 of the Act, shall be only those included in the list of 'Colourings permitted in medicines for oral use'.

The sponsor shall keep records relating to this listed medicine as are necessary to: (a) Expedite recall if necessary of any batch of the listed medicine, (b) Identify the manufacturer(s) of each batch of the listed medicine. Where any part of or step in manufacture in Australia of the listed medicine is sub-contracted to a third party who is not the sponsor, copies of relevant Good Manufacturing Practice agreements relation to such manufacture shall be kept.

The sponsor shall retain records of the distribution of the listed medicine for a period of five years and shall provide the records or copies of the records to the Complementary Medicines Branch, Therapeutic Goods Administration, upon request.

Where a listed medicine is distributed overseas as well as in Australia, product recall or any other regulatory action taken in relation to the medicine outside Australia which has or may have relevance to the quality, safety or efficacy of the goods distributed in Australia, must be notified to the National Manager Therapeutic Goods Administration, immediately the action or information is known to the sponsor.

Products

1 . Manuka Honey Cold & Flu

Product Type Effective Date 29/07/2022 Single Medicine Product

Permitted Indications

Antioxidant/Reduce free radicals formed in the body in children

Helps reduce/decrease free radical damage to body cells in children

Traditionally used in Homoeopathic medicine to relieve weariness/tiredness/fatigue/feeling of weakness in children

Traditionally used in Homoeopathic medicine to relieve eye discomfort in children

Maintain/support healthy eye function in children

Maintain/support eye health in children

Traditionally used in Homoeopathic medicine to relieve itchy eyes in children

Traditionally used in Homoeopathic medicine to relieve eye redness in children

Traditionally used in Homoeopathic medicine to relieve eye soreness

Maintain/support healthy eyesight/vision in children

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve watery eyes/excessive lacrimation

Maintain/support healthy growth and development

Maintain/support body mucous membrane health in children

Traditionally used in Western herbal medicine to maintain/support general health and wellbeing in children

Maintain/support general health and wellbeing when sun exposure is inadequate

Traditionally used in Homoeopathic medicine to maintain/support general health and wellbeing in children

Maintain/support general health and wellbeing in children

Maintain/support hair health in children

Aids/assists teeth development in children

Maintain/support healthy teeth in children

Maintain/support teeth mineralisation in children

Maintain/support teeth strength in children

Maintain/support nail health/strength/thickness in children

Maintain/support bone health in children

Aids/assists healthy bone development/growth/building in children

Maintain/support bone strength in children

Help maintain/support bone mineralisation in children

Page 1 of 4

This is not an ARTG Certificate document.

Produced at 09.08.2022 at 03:10:12 AEST



Australian Government

Department of Health

Therapeutic Goods Administration

Maintain/support immune system health in children

Traditionally used in Western herbal medicine to maintain/support immune system health in children

Maintain/support healthy immune system function in children

Traditionally used in Western herbal medicine to maintain/support healthy immune system function in children

Maintain/support muscle function in children

Maintain/support healthy neuromuscular system/function in children

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve muscle pain/ache/soreness in children

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve muscle tiredness in children

Aid/assist/helps protein synthesis in the body in children

Maintain/support absorption of dietary (state vitamin/mineral/nutrient) in children

Maintain/support (state vitamin/mineral/nutrient) levels in the body in children

Helps prevent dietary (state vitamin/mineral/nutrient) deficiency in children

Aid/assist/helps metabolism of (state vitamin/mineral/nutrient) in children

Maintain/support cognitive function/mental function in healthy children

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild dizziness/vertigo in children

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve headache symptoms in children

Maintain/support nerve conduction in children

Maintain/support nervous system function in children

Traditionally used in Homoeopathic medicine to decrease/reduce excess chest phlegm in children

Traditionally used in Western herbal medicine to decrease/reduce/relieve common cold duration in children

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of common colds and flu in children

Linked indication - Decrease/reduce/relieve sneezing

Linked indication - Decrease/reduce excess mucous

Linked indication - Decongestant/relieve nasal congestion

Linked indication - Enhance/improve/promote/increase cough productivity

Linked indication - Relieve runny/dripping nose

Linked indication - Decrease/reduce/relieve throat irritation

Linked indication - Decrease/reduce/relieve throat mucous membrane irritation/inflammation

Linked indication - Decrease/reduce/relieve cough

Linked indication - Decrease/reduce/relieve chills associated with common cold

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of common colds and flu in children

Traditionally used in Western herbal medicine to decrease/reduce/relieve symptoms of head cold in children

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of head cold in children

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild upper respiratory tract congestion in children

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve the severity of symptoms of mild upper respiratory tract infections in children

Traditionally used in Western herbal medicine to decrease/reduce/relieve the severity of symptoms of mild upper respiratory tract infections in children

Traditionally used in Western herbal medicine to decrease/reduce/relieve symptoms of sinusitis in children

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve the severity of common cold symptoms in children

Traditionally used in Western herbal medicine to decrease/reduce/relieve symptoms of common cold in children

Linked indication - Expectorant/clear respiratory tract mucous

Linked indication - Decongestant/relieve nasal congestion

Linked indication - Sudorific/diaphoretic/enhance/promote sweating/perspiration

Linked indication - Decrease/reduce/relieve cough

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of common cold in children

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild bronchial cough in children

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of laryngitis in children

Traditionally used in Homoeopathic medicine to relieve symptoms of sore throat/pharyngitis in children

Maintain/support skin health in children

Maintain/support skin integrity/structure in children

Maintain/support skin regeneration in children

Maintain/support wound healing in children

Indication Requirements

Product presentation must not imply or refer to mental illnesses, disorders or conditions.

Label statement: If symptoms persist, talk to your health professional.

Label statement: Adults only, OR Not to be used in children under 2 years of age without medical advice (or words to that effect).

Product presentation must not imply or refer to vision correction, faults or serious eye disease e.g. macular degeneration.

Product presentation must not imply or refer to serious immunological diseases.

If product is indicated for supplementation, Label statement: [Vitamins/minerals/nutrients/dietary supplements] can only be of assistance if dietary intake is

Page 2 of 4

Produced at 09.08.2022 at 03:10:12 AEST



Australian Government

Department of Health

Therapeutic Goods Administration

inadequate OR [Vitamins/minerals/nutrients/dietary supplements] should not replace a balanced diet (or words to that effect).

Product presentation must not imply or refer to serious forms of respiratory disorders/diseases, such as: asthma, pneumonia, COAD, COPD, influenza.

Product presentation must not imply or refer to bone disease or disorders e.g. rheumatoid arthritis, juvenile arthritis, debilitating osteoarthritis, osteoporosis. Note: this requirement is not intended to apply where the indications referring to osteoporosis specified in column 2 of Table 2 of this instrument are also used

Label statement: [Vitamins/minerals/nutrients/dietary supplements] can only be of assistance if dietary intake is inadequate OR [Vitamins/minerals/nutrients/dietary supplements] should not replace a balanced diet (or words to that effect).

Respiratory tract infections must be qualified by 'mild'.

Product presentation must not imply or refer to serious musculoskeletal or neurological conditions.

Product presentation must only refer to mild vertigo.

Product presentation must only refer to mild bronchitis.

Product presentation must not imply or refer to chronic fatigue syndrome.

Standard Indications

No Standard Indications included on Record

Specific Indications

No Specific Indications included on Record

Warnings

(If medicine contains one sugar) contains [insert name of sugar] OR (If medicine contains two or more sugars) Contains sugars [or words to that effect].

Adults only. OR Not to be used in children under two years of age without medical advice (or words to that effect).

Contains homoeopathic ingredients

Contains hydroxybenzoates (or words to this effect) if the medicines contains more than one hydroxybenzoate source OR Contains (insert the approved name of hydroxybenzoate used)(or words to this effect) if product contains one hydroxybenzoate source.

Not suitable for infants under the age of twelve months (or words to that effect).

Additional Product information

Pack Size/Poison information

Pack Size Poison Schedule

Components

1 . Formulation 1

Dosage FormOral LiquidRoute of AdministrationOral

Visual Identification

Active Ingredients

5 microlitre/mL Allium cepa bulb (Homeopathic) Anemone pulsatilla whole plant (Homeopathic) 5 microlitre/mL betacarotene .15 mg/mL colecalciferol .0002 mg/mL Echinacea purpurea herb top flowering Extract dry concentrate 6.675 mg/mL Equivalent: Echinacea purpurea (Dry) 26.7 mg/mL Euphrasia officinalis whole plant (Homeopathic) 5 microlitre/mL Gelsemium sempervirens root and rhizome (Homeopathic) 5 microlitre/mL Hedera helix leaf Extract dry concentrate 5 mg/mL Equivalent: Hedera helix (Dry) 20 ma/mL Honey 325 mg/mL Honey 65 mg/mL Mentha X piperita herb Extract dry concentrate 13.33 mg/mL Equivalent: Mentha X piperita (Dry) 66.65 mg/mL Sambucus nigra flower Extract dry concentrate 41.66 mg/mL Equivalent: Sambucus nigra (Dry) 250 mg/mL sodium chloride (Homeopathic) 5 microlitre/mL

Page 3 of 4

zinc glycinate

Produced at 09.08.2022 at 03:10:12 AEST

.443 mg/mL



Department of Health

Therapeutic Goods Administration

Equivalent: zinc .125 mg/mL

Other Ingredients (Excipients)

dl-alpha-tocopherol

ethanol

Flavour

glycerol

maize starch

maltodextrin

methyl hydroxybenzoate

modified food starch

propyl hydroxybenzoate

purified water

silicon dioxide

vegetable oil

xanthan gum

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at http://www.tga.gov.au/about/website-copyright.htm.