

Department of Health

Therapeutic Goods Administration

Public Summary

Summary for ARTG Entry:	322577	Baby & Child Cold & Flu
ARTG entry for	Medicine Listed	
Sponsor	Brauer Natural M	ledicine Pty Ltd
Postal Address	PO Box 234, TA Australia	NUNDA, SA, 5352
ARTG Start Date	2/09/2019	
Product Category	Medicine	
Status	Active	
Approval Area	Listed Medicines	

Conditions

Colouring agents used in listed medicine for ingestion, other than those listed for export only under section 25 of the Act, shall be only those included in the list of 'Colourings permitted in medicines for oral use'.

The sponsor shall keep records relating to this listed medicine as are necessary to: (a) Expedite recall if necessary of any batch of the listed medicine, (b) Identify the manufacturer(s) of each batch of the listed medicine. Where any part of or step in manufacture in Australia of the listed medicine is sub-contracted to a third party who is not the sponsor, copies of relevant Good Manufacturing Practice agreements relation to such manufacture shall be kept.

The sponsor shall retain records of the distribution of the listed medicine for a period of five years and shall provide the records or copies of the records to the Complementary Medicines Branch, Therapeutic Goods Administration, upon request.

Where a listed medicine is distributed overseas as well as in Australia, product recall or any other regulatory action taken in relation to the medicine outside Australia which has or may have relevance to the quality, safety or efficacy of the goods distributed in Australia, must be notified to the National Manager Therapeutic Goods Administration, immediately the action or information is known to the sponsor.

Effective Date

10/08/2022

Products

1 . Baby & Child Cold & Flu

Product Type Single Medicine Product
Permitted Indications
Antioxidant/Reduce free radicals formed in the body

Helps reduce/decrease free radical damage to body cells

Maintain/support collagen formation

Traditionally used in Homoeopathic medicine to relieve weariness/tiredness/fatigue/feeling of weakness

Traditionally used in Homoeopathic medicine to relieve eye discomfort

Maintain/support healthy eye function

Maintain/support eye health

Traditionally used in Homoeopathic medicine to relieve itchy eyes

Traditionally used in Homoeopathic medicine to relieve eye redness

Traditionally used in Homoeopathic medicine to relieve eye soreness

Maintain/support healthy eyesight/vision

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve watery eyes/excessive lacrimation

Maintain/support healthy growth and development

Maintain/support general health and wellbeing when sun exposure is inadequate

Traditionally used in Homoeopathic medicine to maintain/support general health and wellbeing

Traditionally used in Western herbal medicine to maintain/support general health and wellbeing

Maintain/support general health and wellbeing

Maintain/support hair health

Aids/assists teeth development

Maintain/support healthy teeth

Maintain/support nail health/strength/thickness

Maintain/support connective tissue health

Aid/assist/helps connective tissue production/formation

Maintain/support bone health

Aids/assists healthy bone development/growth/building

Maintain/support bone strength

Help maintain/support bone mineralisation

Page 1 of 4

This is not an ARTG Certificate document.

The onus is on the reader to verify the current accuracy of the information on the document subsequent to the date shown. Visit www.tga.gov.au for contact information



Department of Health

Therapeutic Goods Administration

Maintain/support blood capillary health

Maintain/support blood vessel health

Traditionally used in Western herbal medicine to maintain/support immune system health

Maintain/support immune system health

Traditionally used in Western herbal medicine to maintain/support healthy immune system function

Maintain/support healthy immune system function

Maintain/support muscle function

Maintain/support healthy neuromuscular system/function

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve muscle pain/ache/soreness

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve muscle tiredness

Aid/assist/helps protein synthesis in the body

Maintain/support absorption of dietary (state vitamin/mineral/nutrient)

Maintain/support (state vitamin/mineral/nutrient) levels in the body

Helps prevent dietary (state vitamin/mineral/nutrient) deficiency

Aid/assist/helps metabolism of (state vitamin/mineral/nutrient)

Maintain/support cognitive function/mental function in healthy children

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild dizziness/vertigo

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve headache symptoms

Maintain/support nerve conduction

Aid/assist/helps synthesis of neurotransmitters

Maintain/support nervous system health

Maintain/support nervous system function

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild bronchial irritation

Traditionally used in Homoeopathic medicine to decrease/reduce excess chest phlegm

Decrease/reduce/relieve common cold duration

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of common colds and flu

Linked indication - Decongestant/relieve nasal congestion

Linked indication - Decrease/reduce/relieve throat mucous membrane irritation/inflammation

Linked indication - Decrease/reduce excess mucous

Linked indication - Decrease/reduce/relieve sneezing

Linked indication - Decrease/reduce/relieve chills associated with common cold

Linked indication - Decrease/reduce/relieve cough

Linked indication - Enhance/improve/promote/increase cough productivity

Linked indication - Relieve runny/dripping nose Linked indication - Decrease/reduce/relieve throat irritation

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of head cold

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild upper respiratory tract congestion

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve the severity of symptoms of mild upper respiratory tract infections

Traditionally used in Western herbal medicine to decrease/reduce/relieve the severity of symptoms of mild upper respiratory tract infections

Traditionally used in Western herbal medicine to decrease/reduce/relieve symptoms of sinusitis

Decrease/reduce/relieve the severity of common cold symptoms

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve the severity of common cold symptoms

Traditionally used in Western herbal medicine to decrease/reduce/relieve symptoms of common cold

Linked indication - Sudorific/diaphoretic/enhance/promote sweating/perspiration

Linked indication - Decongestant/relieve nasal congestion

Linked indication - Decrease/reduce/relieve common cold duration

Linked indication - Expectorant/clear respiratory tract mucous

Linked indication - Decrease/reduce/relieve cough

Linked indication - Soothe respiratory tract mucous membranes/mucous tissue

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of common cold

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve mild bronchial cough

Traditionally used in Homoeopathic medicine to relieve hoarseness of voice

Traditionally used in Homoeopathic medicine to decrease/reduce/relieve symptoms of laryngitis

Traditionally used in Western herbal medicine to relieve symptoms of sore throat/pharyngitis

Traditionally used in Homoeopathic medicine to relieve symptoms of sore throat/pharyngitis

Maintain/support skin health

Maintain/support skin integrity/structure

Maintain/support skin regeneration

Maintain/support wound healing

Page 2 of 4

This is not an ARTG Certificate document.

Produced at 19.08.2022 at 03:07:15 AEST

The onus is on the reader to verify the current accuracy of the information on the document subsequent to the date shown. Visit www.tga.gov.au for contact information



Department of Health

Therapeutic Goods Administration

Indication Requirements

Label statement: If symptoms persist, talk to your health professional.

Product presentation must not imply or refer to vision correction, faults or serious eye disease e.g. macular degeneration.

Product presentation must not imply or refer to mental illnesses, disorders or conditions.

Label statement: Adults only, OR Not to be used in children under 2 years of age without medical advice (or words to that effect).

Respiratory tract infections must be qualified by 'mild'.

Product presentation must not imply or refer to serious immunological diseases.

If product is indicated for supplementation, Label statement: [Vitamins/minerals/nutrients/dietary supplements] can only be of assistance if dietary intake is inadequate OR [Vitamins/minerals/nutrients/dietary supplements] should not replace a balanced diet (or words to that effect).

Product presentation must only refer to mild vertigo

Product presentation must not imply or refer to serious forms of respiratory disorders/diseases, such as: asthma, pneumonia, COAD, COPD, influenza.

Product presentation must not imply or refer to bone disease or disorders e.g. rheumatoid arthritis, juvenile arthritis, debilitating osteoarthritis, osteoporosis. Note: this requirement is not intended to apply where the indications referring to osteoporosis specified in column 2 of Table 2 of this instrument are also used

Product presentation must only refer to mild bronchitis.

Product presentation must not imply or refer to circulatory disorders/diseases/conditions e.g. thrombosis.

Label statement: [Vitamins/minerals/nutrients/dietary supplements] can only be of assistance if dietary intake is inadequate OR [Vitamins/minerals/nutrients/dietary supplements] should not replace a balanced diet (or words to that effect).

Product presentation must not imply or refer to chronic fatigue syndrome.

Product presentation must not imply or refer to serious musculoskeletal or neurological conditions.

Standard Indications

No Standard Indications included on Record

Specific Indications

No Specific Indications included on Record

Warnings

Adults only. OR Not to be used in children under two years of age without medical advice (or words to that effect).

Contains homoeopathic ingredients.

Contains hydroxybenzoates (or words to this effect) if the medicines contains more than one hydroxybenzoate source OR Contains (insert the approved name of hydroxybenzoate used)(or words to this effect) if product contains one hydroxybenzoate source.

Additional Product information

Pack Size/Poison information	
Pack Size	Poison Schedule
Components	
1. Formulation 1	
Dosage Form Oral Liquid	
Route of Administration Oral	
Visual Identification	
Active Ingredients	
Allium cepa bulb (Homeopathic)	5 microlitre/mL
Equivalent: Allium cepa	500 picogram/mL
Anemone pulsatilla whole plant (Homeopathic)	5 microlitre/mL
Equivalent: Anemone pulsatilla	.0005 picogram/mL
calcium ascorbate dihydrate	24.33 mg/mL
Equivalent: ascorbic acid	20 mg/mL
Equivalent: calcium	2.29 mg/mL
colecalciferol	.25 microgram/mL
Echinacea purpurea herb top flowering Extract dry concentrate	13.34 mg/mL
Equivalent: Echinacea purpurea (Dry)	53.36 mg/mL
Euphrasia officinalis whole plant (Homeopathic)	5 microlitre/mL
Equivalent: Euphrasia officinalis	500 picogram/mL
Page 3 of 4	Produced at 19.08.2022 at 03:07:15 AEST

Page 3 of 4

This is not an ARTG Certificate document.

The onus is on the reader to verify the current accuracy of the information on the document subsequent to the date shown. Visit www.tga.gov.au for contact information



Department of Health

Therapeutic Goods Administration

Gelsemium sempervirens root and rhizome (Homeopathic)
Equivalent: Gelsemium sempervirens
Mentha X piperita herb Extract dry concentrate
Equivalent: Mentha X piperita (Dry)
Sambucus nigra flower Extract dry concentrate
Equivalent: Sambucus nigra (Dry)
Toxicodendron pubescens twig leafy young (Homeopathic)
Equivalent: Toxicodendron pubescens
zinc glycinate
Equivalent: zinc
Other Ingredients (Excipients)
dl-alpha-tocopherol
ethanol
Flavour
glycerol
methyl hydroxybenzoate

5 microlitre/mL .0005 picogram/mL 13.33 mg/mL 66.65 mg/mL 22.22 mg/mL 133.32 mg/mL 5 microlitre/mL .0005 picogram/mL .67 mg/mL .2 mg/mL

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at http://www.tga.gov.au/about/website-copyright.htm.

propyl hydroxybenzoate

purified water

vegetable oil xanthan gum

The onus is on the reader to verify the current accuracy of the information on the document subsequent to the date shown. Visit www.tga.gov.au for contact information