Australian Government

Department of Health

Therapeutic Goods Administration

Public Summary

Summary for ARTG Entry: 363492 Advanced Synbiotic Capsules

ARTG entry for Medicine Listed

Sponsor Gutbiome Aust Pty Ltd

Postal Address 12A Whitehall Avenue, Birkdale, QLD, 4159

Australia

ARTG Start Date 28/04/2021

Product Category Medicine

Status Active

Approval Area Listed Medicines

Conditions

Colouring agents used in listed medicine for ingestion, other than those listed for export only under section 25 of the Act, shall be only those included in the list of 'Colourings permitted in medicines for oral use'.

The sponsor shall keep records relating to this listed medicine as are necessary to: (a) Expedite recall if necessary of any batch of the listed medicine, (b) Identify the manufacturer(s) of each batch of the listed medicine. Where any part of or step in manufacture in Australia of the listed medicine is sub-contracted to a third party who is not the sponsor, copies of relevant Good Manufacturing Practice agreements relation to such manufacture shall be kept.

The sponsor shall retain records of the distribution of the listed medicine for a period of five years and shall provide the records or copies of the records to the Complementary Medicines Branch, Therapeutic Goods Administration, upon request.

Where a listed medicine is distributed overseas as well as in Australia, product recall or any other regulatory action taken in relation to the medicine outside Australia which has or may have relevance to the quality, safety or efficacy of the goods distributed in Australia, must be notified to the National Manager Therapeutic Goods Administration, immediately the action or information is known to the sponsor.

Products

1 . Advanced Synbiotic Capsules

Product Type Single Medicine Product Effective Date 28/04/2021

Permitted Indications

Maintain/support general health and wellbeing

Decrease/reduce/relieve diarrhoea in children

Helps reduce occurrence of symptoms of traveller's diarrhoea

Maintain/support healthy bowel/colon function

Maintain/support small intestine health

Maintain/support intestinal health

Maintain/support healthy digestive system function

Maintain/support digestion/assimilation of nutrients

Maintain/support digestive system health

Maintain/support good/beneficial/friendly bacteria adherence to intestinal mucosa

Maintain/support intestinal good/beneficial/friendly flora

Helps maintain/support good/beneficial/friendly gut flora during antibiotic use

Help restore good/beneficial/friendly gut flora after antibiotic use

Helps restore good/beneficial/friendly intestinal/gut/bowel flora

Helps enhance/improve/promote/increase healthy digestive system flora/good bacteria growth

Helps enhance/improve/promote/increase intestinal good/beneficial/friendly bacteria growth

Maintain/support small intestine good/beneficial/friendly flora

Maintain/support gastrointestinal system health

Helps enhance/promote gastrointestinal system health

Maintain/support healthy gastrointestinal function

Maintain/support gastrointestinal mucosal membrane health

Maintain/support immune system health

Maintain/support healthy immune system function

Maintain/support healthy gastrointestinal immune function

Helps reduce occurrence of symptoms of upper respiratory tract infections in healthy individuals

Indication Requirements

Page 1 of 3



Australian Government

Department of Health

Therapeutic Goods Administration

Label statement: If symptoms persist, talk to your health professional.

Label statement: Seek medical advice if diarrhoea persists for more than: 6 hours in infants under 6 months, 12 hours in children under 3 years, 24 hours in children aged 3 to 6 years or 48 hours in adults and children over 6 years (or words to that effect).

Product presentation must not imply or refer to serious immunological diseases.

Label statement: Adults only, OR Not to be used in children under 2 years of age without medical advice (or words to that effect).

Product presentation must not imply or refer to serious forms of respiratory disorders/diseases, such as: asthma, pneumonia, COAD, COPD, influenza.

Standard Indications

No Standard Indications included on Record

Specific Indications

No Specific Indications included on Record

Warnings

Adults only. OR Not to be used in children under two years of age without medical advice (or words to that effect).

If diarrhoea persists for more than 6 hours in infants under 6 months, 12 hours in children under 3 years, 24 hours in children aged 3-6 years or 48 hours in adults and children over 6 years, seek medical advice (or words to that effect).

If symptoms persist consult your healthcare practitioner (or words to that effect).

Additional Product information

Pack Size/Poison informati	on
----------------------------	----

Pack Size Poison Schedule

Components

1. Formulation 1

Dosage Form Capsule, hard

Route of Administration Oral

Visual Identification

Active Ingredients

Actinidia chinensis fruit Powder 185 mg 666.7 million CFU Bifidobacterium animalis ssp lactis Bifidobacterium bifidum 66.7 million CFU 66.7 million CFU Bifidobacterium breve Bifidobacterium infantis 100 million CFU Bifidobacterium lactis 666.7 million CFU Bifidobacterium longum 66.7 million CFU Lactobacillus acidophilus 333.3 million CFU Lactobacillus brevis 66.7 million CFU Lactobacillus casei 300 million CFU Lactobacillus delbrueckii ssp bulgaricus 66.7 million CFU 33.3 million CFU Lactobacillus gasseri Lactobacillus paracasei 333.3 million CFU Lactobacillus plantarum 500 million CFU 33.3 million CFU Lactobacillus reuteri

Streptococcus thermophilus
Other Ingredients (Excipients)

colloidal anhydrous silica

Lactobacillus rhamnosus

Lactobacillus salivarius ssp salivarius

Saccharomyces cerevisiae (Boulardii)

disodium edetate

gellan gum

hypromellose

magnesium stearate

Page 2 of 3

Produced at 01.03.2022 at 04:06:42 AEDT

3.333 billion CFU

66 7 million CFU

833.3 million CFU 200 million CFU



Department of Health

Therapeutic Goods Administration

microcrystalline cellulose potable water potassium acetate silicon dioxide

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at http://www.tga.gov.au/about/website-copyright.htm.