

Australian Government

Department of Health and Aged Care

Therapeutic Goods Administration

Public Summary

Summary for ARTG Entry: 411861 Preconception Multi for Women

ARTG entry for Medicine Listed

Sponsor NRC Nutrition Pty Ltd

Postal Address PO Box 380, Peregian Beach, QLD, 4573

Australia

ARTG Start Date 30/06/2023

Product Category Medicine

Status Active

Approval Area Listed Medicines

Conditions

Colouring agents used in listed medicine for ingestion, other than those listed for export only under section 25 of the Act, shall be only those included in the list of 'Colourings permitted in medicines for oral use'.

The sponsor shall keep records relating to this listed medicine as are necessary to: (a) Expedite recall if necessary of any batch of the listed medicine, (b) Identify the manufacturer(s) of each batch of the listed medicine. Where any part of or step in manufacture in Australia of the listed medicine is sub-contracted to a third party who is not the sponsor, copies of relevant Good Manufacturing Practice agreements relation to such manufacture shall be kept.

The sponsor shall retain records of the distribution of the listed medicine for a period of five years and shall provide the records or copies of the records to the Complementary Medicines Branch, Therapeutic Goods Administration, upon request.

Where a listed medicine is distributed overseas as well as in Australia, product recall or any other regulatory action taken in relation to the medicine outside Australia which has or may have relevance to the quality, safety or efficacy of the goods distributed in Australia, must be notified to the National Manager Therapeutic Goods Administration, immediately the action or information is known to the sponsor.

Products

1 . Preconception Multi for Women

Product Type Single Medicine Product Effective Date 30/06/2023

Permitted Indications

Antioxidant/Reduce free radicals formed in the body

Maintain/support energy levels

Maintain/support general health and wellbeing

Vitamin D helps calcium absorption (or words of like intent) and a diet deficient in calcium can lead to osteoporosis in later life

Maintain/support red blood cell health

Maintain/support blood health

Helps maintain/support haemoglobin formation/synthesis

Maintain/support healthy thyroid gland function

Maintain/support healthy thyroid hormones

Maintain/support healthy thyroid hormones

Maintain/support thyroid gland health

Maintain/support immune system health

Aid/assist/helps glucose/sugar/carbohydrate metabolism

Helps decrease/reduce homocysteine levels

Helps prevent dietary (state vitamin/mineral/nutrient) deficiency

Maintain/support nervous system health

Maintain/support nervous system function

Maintain/support female reproductive system health

Helps maintains/support healthy foetal CNS/brain development

Maintains/support healthy foetal development

Maintain/support healthy pregnancy

Maintain/support preconception health

Helps prepare the body for pregnancy

Maintain/support healthy reproductive hormones

Maintain/support skin health

Indication Requirements

Page 1 of 3



Australian Government

Department of Health and Aged Care

Therapeutic Goods Administration

If directed to women, Label statement: Advise your doctor of any medicine you take during pregnancy, particularly in your first trimester.

Label statement: Advise your doctor of any medicine you take during pregnancy, particularly in your first trimester.

Product presentation must not imply or refer to any thyroid related diseases.

Product presentation must not imply or refer to infertility.

Product presentation must not imply or refer to mental illnesses, disorders or conditions.

Label statement: [Vitamins/minerals/nutrients/dietary supplements] can only be of assistance if dietary intake is inadequate OR [Vitamins/minerals/nutrients/dietary supplements] should not replace a balanced diet (or words to that effect).

Product presentation must not imply or refer to lowering or raising blood sugar/glucose levels from outside of the normal healthy range.

Product presentation must not imply or refer to chronic fatigue syndrome.

Product presentation must not imply or refer to hormone imbalances.

Product presentation must not imply or refer to serious immunological diseases.

Product presentation must not imply or refer to serious cardiovascular conditions.

Indication only for use for medicines that contain vitamin D as an active ingredient. The medicines may only contain a maximum recommended daily dose of 25 micrograms or less of vitamin D and as a minimum, also contain at least 25% of the RDI in the recommended daily dose of vitamin D.

Standard Indications

No Standard Indications included on Record

Specific Indications

No Specific Indications included on Record

Warnings

Not for the treatment of iron deficiency conditions (or words to that effect).

This medicine contains selenium which is toxic in high doses. A daily dose of 150 micrograms for adults of selenium from dietary supplements should not be exceeded.

Do not take while on warfarin therapy without medical advice.

Vitamins can only be of assistance if the dietary vitamin intake is inadequate. OR Vitamin supplements should not replace a balanced diet.

Additional Product information

Container information

Туре	Material	Life Time	Temperature	Closure	Conditions
Blister Pack	Not recorded				

Pack Size/Poison information

Pack Size Poison Schedule

Components

1 . Formulation 1

Dosage Form Capsule, hard

Route of Administration Oral

Visual Identification

Active Ingredients

betacarotene 1 mg

Biotin200 microgramcalcium pantothenate27.29 mgEquivalent: pantothenic acid25 mgcholine bitartrate291.76 mg

Equivalent: choline 120 mg

chromium picolinate 201.1 microgram

Equivalent: chromium 25 microgram colecalciferol .0125 mg colloidal anhydrous silica 7 mg

hydroxocobalamin 250 microgram inositol 25 mg iron (II) glycinate 44.4 mg

Page 2 of 3

Produced at 02.01.2024 at 04:38:32 AEDT



Australian Government

Department of Health and Aged Care

Therapeutic Goods Administration

25 mg

12 mg

Equivalent: iron 12 mg

 Ievomefolate glucosamine
 451 microgram

 Equivalent: levomefolic acid
 250 microgram

Equivalent: levomefolic acid 250 microgram magnesium amino acid chelate 125 mg

magnesium ascorbate monohydrate 47.36 mg

Equivalent: ascorbic acid 42.5 mg
Equivalent: magnesium 2.93 mg
manganese amino acid chelate 10 mg

Equivalent: manganese 1 mg

molybdenum trioxide37.5 microgramEquivalent: molybdenum25 microgram

nicotinamide 10 mg

potassium iodide 177 microgram
Equivalent: iodine 135 microgram

pyridoxal 5-phosphate monohydrate7.84 mgEquivalent: pyridoxine5 mg

 riboflavin sodium phosphate
 6.58 mg

 Equivalent: riboflavin
 5 mg

selenomethionine80.7 microgramEquivalent: selenium32.5 microgram

 Tagetes erecta flower Extract dry concentrate
 20 mg

 Equivalent: Tagetes erecta (Dry)
 960 mg

thiamine hydrochloride 19.06 mg
Equivalent: thiamine 15 mg
ubidecarenone 50 mg
zinc citrate dihydrate 37.38 mg

Other Ingredients (Excipients)

Equivalent: magnesium

Acacia

calcium hydrogen phosphate dihydrate

carrageenan d-alpha-tocopherol fractionated coconut oil gellan gum

Equivalent: zinc

medium chain triglycerides

Pea Starch

liquid glucose

potassium chloride

pullulan

purified water

silicon dioxide

sodium alginate

sodium ascorbate

xanthan gum

© Commonwealth of Australia. This work is copyright. You are not permitted to re-transmit, distribute or commercialise the material without obtaining prior written approval from the Commonwealth. Further details can be found at http://www.tga.gov.au/about/website-copyright.htm.